


#### **Event Diversion Systems**

EC1A6X Page 1 of 2

## **Component Specification**



CABLE GLAND

Not Applicable



### **Event Diversion Systems**

# **Component Specification**

EC1A6X Page 2 of 2

CABLE

Not Applicable



Bracket type with 4- 1/4" holes

 ELECTRICAL
 Single phase incoming power 120 VAC 5 Amps

 SIEMENS LOGO Pre-programmed controller 24 VAC control voltage

 Heavy duty oil tight indicator lights - 22MM LED full voltage type

 1 - GREEN NORMAL INDICATOR 1 - RED EVENT INDICATOR

Heavy duty oil tight switches (22MM) 1 - TEST SWITCH 1 - EVENT RESET SWITCH Control quick blow fuse valve, incoming power & indication - 120:24 VAC TRANSFORMER UL 508 LISTED ANTI-CONDENSATION HEATER - 6 WATT STRIP HEATER

MECHANICAL

Top Hinged Panel Front This panel operates a dry Contact with a rain switch

CERTIFICATIONS

UL 508 Listed NEMA 4X

#### SPECIAL NOTES

The system also comes with a rain fall totalizer and remote EVENT indication.

**ATTITUDE SYSTEMS** 

WWW.ATTITUDESYSTEMS.COM

PHONE (714) 880-9992